





This is to certify that: Fanevolution srl

Via Solferino, 7 Milano

20121 Italy

Holds Certificate Number: KM 655127

In respect of:

BS EN 12101-3: 2015

Powered smoke and heat exhaust ventilators

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Frank Lee, Product Certification Technical and Compliance Director

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 1 of 12

...making excellence a habit.™



No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE SMK range	2 Pole and r	elevant double polarity mo	del numbers	
	TUBE SMK 312	TUBE SMK 352	TUBE SMK 402	
	TUBE SMK 452	TUBE SMK 502	TUBE SMK 562	
	TUBE SMK 632			
	4 Pole and r	elevant double polarity mo	del numbers	
	TUBE SMK 314	TUBE SMK 354	TUBE SMK 404	
	TUBE SMK 454	TUBE SMK 504	TUBE SMK 564	
	TUBE SMK 634	TUBE SMK 714	TUBE SMK 804	
	TUBE SMK 904	TUBE SMK 1004	TUBE SMK 1124	
	TUBE SMK 1254	TUBE SMK 1404		
	6 Pole and r	elevant double polarity mo	del numbers	
	TUBE SMK 406	TUBE SMK 456	TUBE SMK 506	
	TUBE SMK 566	TUBE SMK 636	TUBE SMK 716	
	TUBE SMK 806	TUBE SMK 906	TUBE SMK 1006	
	TUBE SMK 1126	TUBE SMK 1256	TUBE SMK 1406	
	TUBE SMK 1606			
	8 Pole and relevant double polarity model numbers			
	TUBE SMK 318	TUBE SMK 358	TUBE SMK 408	
	TUBE SMK 508	TUBE SMK 568	TUBE SMK 638	
	TUBE SMK 718	TUBE SMK 808	TUBE SMK 908	
	TUBE SMK 1008	TUBE SMK 1128	TUBE SMK 1258	
	TUBE SMK 1408	TUBE SMK 1608		
Response Delay	N/A			
Resistance to Fire class	F200 (tested to 200°C, 120mins)		
Motor rating	Class F			
Ancillaries	Silencers Terminal box Service switch Counter flanges Flexible connections Flat grid Support feet Inlet cone Outlet Diffuser Shutter OPD *		V	
Applus reports 5047055, 50475 and 19-21572-2686 refer.	667, 5047742, 06/32300643, 08/32313	197, 07/32305000, 07/32304878,	4023632, 4023633, 4034521	
BSRIA Reports 53332/1, 52794	/1, 52574/1 and 100194/3 refer.			

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 2 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE SMK range	2 Pole and re	2 Pole and relevant double polarity model numbers				
	* TUBE SMK 312	TUBE SMK 352	TUBE SMK 402			
	* TUBE SMK 452	TUBE SMK 502	TUBE SMK 562			
	TUBE SMK 632					
	4 Pole and re	elevant double polarity mo	del numbers			
	TUBE SMK 314	TUBE SMK 354	TUBE SMK 404			
	TUBE SMK 454	TUBE SMK 504	TUBE SMK 564			
	TUBE SMK 634	TUBE SMK 714	* TUBE SMK 804			
	* TUBE SMK 904	* TUBE SMK 1004	* TUBE SMK 1124			
	* TUBE SMK 1254	* TUBE SMK 1404				
	6 Pole and re	elevant double polarity mo	del numbers			
	TUBE SMK 316	TUBE SMK 356	TUBE SMK 406			
	TUBE SMK 456	TUBE SMK 506	TUBE SMK 566			
	TUBE SMK 636	TUBE SMK 716	* TUBE SMK 806			
	* TUBE SMK 906	* TUBE SMK 1006	* TUBE SMK 1126			
	* TUBE SMK 1256	* TUBE SMK 1406				
	8 Pole and relevant double polarity model numbers					
	TUBE SMK 318	TUBE SMK 408				
	TUBE SMK 458	TUBE SMK 508	TUBE SMK 568			
	TUBE SMK 638	TUBE SMK 718	TUBE SMK 808			
	TUBE SMK 908	TUBE SMK 1008	* TUBE SMK 1128			
	TUBE SMK 1128	TUBE SMK 1258	* TUBE SMK 1408			
Response Delay	N/A					
Resistance to Fire class	F300 (tested to 300°C, 60mins)	*(tested to 300°C, 120mins)				
Motor rating	Class H & F					
Ancillaries	Silencers Terminal Box Service switch Counter flanges Flexible connections Flat grid Support feet Inlet cone Outlet Diffuser Shutter OPD *		V			

53229/1, 54279/2, 54279/9, 59134-1, 10006-1 and 60387-1 refer.

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 3 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE SMK range	2 Pole and r	elevant double polarity mo	del numbers			
	TUBE SMK 352	TUBE SMK 402	TUBE SMK 452			
	TUBE SMK 502	TUBE SMK 562	TUBE SMK 632			
	4 Pole and r	elevant double polarity mo	del numbers			
	TUBE SMK 404	TUBE SMK 454	TUBE SMK 504			
	TUBE SMK 564	TUBE SMK 634	TUBE SMK 714			
	TUBE SMK 804	TUBE SMK 904	TUBE SMK 1004			
	6 Pole and r	6 Pole and relevant double polarity model numbe				
	TUBE SMK 406	TUBE SMK 456	TUBE SMK 506			
	TUBE SMK 566	TUBE SMK 636	TUBE SMK 716			
	TUBE SMK 806	TUBE SMK 906	TUBE SMK 1006			
	TUBE SMK 1126	TUBE SMK 1256				
	8 Pole and r	8 Pole and relevant double polarity model numbers				
	TUBE SMK 508	TUBE SMK 508 TUBE SMK 568 TUBE SM				
	TUBE SMK 718	TUBE SMK 808	TUBE SMK 908			
	TUBE SMK 1008	TUBE SMK 1128	TUBE SMK 1258			
Response Delay	N/A					
Resistance to Fire class	F400 (tested to 400°C, 120m	nins)				
Motor rating	Class H					
Ancillaries	Silencers Terminal Box Counter flanges Flexible connections Flat grid Support feet Inlet cone Electrical Isolator Outlet diffuser Shutter OPD *					

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 4 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE SMK range	2 Pole and re	2 Pole and relevant double polarity model numbers				
FA-AL Impellers	TUBE SMK 312	TUBE SMK 312 TUBE SMK 352 TUBE				
•	TUBE SMK 452	TUBE SMK 502	TUBE SMK 562			
	TUBE SMK 632					
	4 Pole and re	elevant double polarity mo	del numbers			
	TUBE SMK 314	TUBE SMK 354	TUBE SMK 404			
	TUBE SMK 454	TUBE SMK 504	TUBE SMK 564			
	TUBE SMK 634	TUBE SMK 714				
	6 Pole and re	elevant double polarity mo	del numbers			
	TUBE SMK 316	TUBE SMK 356	TUBE SMK 406			
	TUBE SMK 456	TUBE SMK 506	TUBE SMK 566			
	TUBE SMK 636	TUBE SMK 716				
	8 Pole and relevant double polarity model numbers					
	TUBE SMK 318	TUBE SMK 358	TUBE SMK 408			
	TUBE SMK 458	TUBE SMK 508	TUBE SMK 568			
	TUBE SMK 638	TUBE SMK 718				
Response Delay	N/A					
Resistance to Fire class	F400 (tested to 400°C, 120m	nins)				
Motor rating	Class H					
Ancillaries	Inlet/Outlet Guard Outlet Diffuser Silencers Support Feet Counter flanges & Flexible Counter flanges Terminal Box Electrical Isolator Inlet cone Shutter OPD *	onnector				
BSRIA reports 59370/1, 568	68/2 & 57305/3 refer.					
Applus report 15/6011-789,	19-21572-2686, 20-22913-1317,	20-23238-2236 and 21-24674-	-285 refers.			

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 5 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE JET SMK range		TUBE JET SMK and (OCT JET SMK Type U				
OCT JET SMK range (*)	2 Po	2 Pole and relevant double polarity model numbers					
	TUBE JET SMK/U 312	TUBE JET SMK/U 352	TUBE JET SMK/U 402	TUBE JET SMK/U 452			
	OCT JET SMK/U 312	OCT JET SMK/U 352	OCT JET SMK/U 402	OCT JET SMK/U 452			
	4 Pc	ole all relevant double	e polarity model num	bers			
	TUBE JET SMK/U 314	TUBE JET SMK/U 354	TUBE JET SMK/U 404	TUBE JET SMK/U 454			
	OCT JET SMK/U 314	OCT JET SMK/U 354	OCT JET SMK/U 404	OCT JET SMK/U 454			
		TUBE JET SMK and (OCT JET SMK Type R				
	2 Pol	e and relevant doub	le polarity model nun	nbers			
	TUBE JET SMK/R 312	TUBE JET SMK/R 352	TUBE JET SMK/R 402	TUBE JET SMK/R 452			
	OCT JET SMK/R 312	OCT JET SMK/R 352	OCT JET SMK/R 402	OCT JET SMK/R 452			
	4 Pole and relevant double polarity model numbers						
	TUBE JET SMK/R 314	TUBE JET SMK/R 354	TUBE JET SMK/R 404	TUBE JET SMK/R 454			
	OCT JET SMK/R 314	OCT JET SMK/R 354	OCT JET SMK/R 404	OCT JET SMK/R 454			
Response Delay	N/A						
Resistance to Fire class	F200 (tested to 200°C	C, 120mins)					
Motor rating	Class H & F						
Ancillaries	Silencers Terminal Box Service switch Counter flanges Flexible connections Flat grid Support feet Inlet cone Outlet Diffuser						

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 6 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE JET SMK range	TUBE JET SMK and OCT JET SMK Type U						
OCT JET SMK range	2 Pole and relevant double polarity model numbers						
(*)	*TUBE JET SMK/U 312	*TUBE JET SMK/U 352	*TUBE JET SMK/U 402	TUBE JET SMK/U 452			
	*OCT JET SMK/U 312	*OCT JET SMK/U 352	*OCT JET SMK/U 402	OCT JET SMK/U 452			
	4 F	Pole and relevant double	e polarity model numbe	ers			
	**TUBE JET SMK/U314	*TUBE JET SMK/U 354	*TUBE JET SMK/U 404	TUBE JET SMK/U 454			
	**OCT JET SMK/U 314	*OCT JET SMK/U 354	*OCT JET SMK/U 404	OCT JET SMK/U 454			
		TUBE JET SMK and C	OCT JET SMK Type R				
	2 F	ole and relevant double	e polarity model numbe	ers			
	**TUBE JET SMK/R312	*TUBE JET SMK/R 352	*TUBE JET SMK/R 402	TUBE JET SMK/R 452			
	**OCT JET SMK/R 312	**OCT JET SMK/R 312 *OCT JET SMK/R 352 *OCT JET SMK/R 402 OCT JET SMK/R 4					
	4 F	Pole and relevant double	e polarity model numbe	ers			
	**TUBE JET SMK/R 314	*TUBE JET SMK/R 354	*TUBE JET SMK/R 404	TUBE JET SMK/R 454			
	**OCT JET SMK/R 314	*OCT JET SMK/R 354	*OCT JET SMK/R 404	OCT JET SMK/R 454			
Response Delay	N/A						
Resistance to Fire class	F300 (tested to 300°C, 6	Omins) *(tested to 300°C,	90mins) **(tested to 300	0°C, 120mins)			
Motor rating	Class H						
Ancillaries	Silencers Terminal Box Service switch Counter flanges Flexible connections Flat grid Support feet Inlet cone Outlet Diffuser						
BSRIA reports 51691/1, 51	691/2, 51691/3, 54279/2	and 100194/3 refer.					

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 7 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE JET SMK range	TUBE JET SMK and OCT JET SMK Type U				
OCT JET SMK range	2 Po	ole and relevant double polarity model numbers			
(*) FA-AL Impeller	TUBE JET SMK/U 312	TUBE JET SMK/U 352	TUBE JET SMK/U 402	TUBE JET SMK/U 452	
TA AL IMPONO	TUBE JET SMK/U 502				
	OCT JET SMK/U 312	OCT JET SMK/U 352	OCT JET SMK/U 402	OCT JET SMK/U 452	
	OCT JET SMK/U 502				
	4 Po	le and relevant double	e polarity model numb	ers	
	TUBE JET SMK/U 314	TUBE JET SMK/U 354	TUBE JET SMK/U 404	TUBE JET SMK/U 454	
	TUBE JET SMK/U 504	TUBE JET SMK/U 564	TUBE JET SMK/U 634	TUBE JET SMK/U 714	
	OCT JET SMK/U 314	OCT JET SMK/U 354	OCT JET SMK/U 404	OCT JET SMK/U 454	
	OCT JET SMK/U 504	OCT JET SMK/U 564	OCT JET SMK/U 634	OCT JET SMK/U 714	
		TUBE JET SMK and C	CT JET SMK Type R		
	2 Po	le and relevant double	polarity model numb	ers	
	TUBE JET SMK/R 312	TUBE JET SMK/R 352	TUBE JET SMK/R 402	TUBE JET SMK/R 452	
	TUBE JET SMK/R 502				
	OCT JET SMK/R 312	OCT JET SMK/R 352	OCT JET SMK/R 402	OCT JET SMK/R 452	
	OCT JET SMK/R 502				
	4 Po	le and relevant double	-	ers	
	TUBE JET SMK/R 314	TUBE JET SMK/R 354	TUBE JET SMK/R 404	TUBE JET SMK/R 454	
	TUBE JET SMK/R 504	TUBE JET SMK/R 564	TUBE JET SMK/R 634	TUBE JET SMK/R 714	
	OCT JET SMK/R 314	OCT JET SMK/R 354	OCT JET SMK/R 404	OCT JET SMK/R 454	
	OCT JET SMK/R 504	OCT JET SMK/R 564	OCT JET SMK/R 634	OCT JET SMK/R 714	
Response Delay	N/A				
Resistance to Fire class	F300/ (tested to 300°C,	120mins)			
Motor rating	Class H				
Ancillaries	Inlet/Outlet Guard Outlet Diffuser Silencers Support Feet Counter flanges & Flexib Terminal Box Electrical Isolator Inlet cone				
BSRIA reports 59370/2, 543					
Applus reports 15/6011-82	1, 15/6011-822 & 14/7709	9-843 refer.			

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 8 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE JET SMK range		TUBE JET SMK and OCT JET SMK Type U				
OCT JET SMK range (*)	2 Pc	ole and relevant double	e polarity n	nodel numb	ers	
FA-AL Impeller	TUBE JET SMK/U 312	TUBE JET SMK/U	352	TUBE JET SMK/U 402		
	OCT JET SMK/U 312	OCT JET SMK/U	352	OC	Γ JET SMK/U 402	
	4 Pc	ole and relevant double	e polarity n	nodel numb	ers	
	TUBE JET SMK/U 314	TUBE JET SMK/U 354	TUBE JET S	SMK/U 404	TUBE JET SMK/U 454	
	TUBE JET SMK/U 504	TUBE JET SMK/U 564	TUBE JET	SMK/U 634	TUBE JET SMK/U 714	
	OCT JET SMK/U 314	OCT JET SMK/U 354	OCT JET S	SMK/U 404	OCT JET SMK/U 454	
	OCT JET SMK/U 504	OCT JET SMK/U 564	OCT JET S	SMK/U 634	OCT JET SMK/U 714	
		TUBE JET SMK and C	OCT JET SM	K Type R		
	2 Pc	ole and relevant double	e polarity n	nodel numb	ers	
	TUBE JET SMK/R 312	TUBE JET SMK/R 352		TUBE JET	SMK/R 402	
	OCT JET SMK/R 312	OCT JET SMK/R 352 OCT JET SMK/R 402			SMK/R 402	
	4 Pc	ole and relevant double	e polarity m	nodel numb	ers	
	TUBE JET SMK/R 314	TUBE JET SMK/R 354	SMK/R 564 TUBE JET SMK/R 634 TUBE JET S MK/R 354 OCT JET SMK/R 404 OCT JET S		TUBE JET SMK/R 454	
	TUBE JET SMK/R 504	TUBE JET SMK/R 564			TUBE JET SMK/R 714	
	OCT JET SMK/R 314	OCT JET SMK/R 354			OCT JET SMK/R 454	
	OCT JET SMK/R 504	OCT JET SMK/R 564			OCT JET SMK/R 714	
Response Delay	N/A					
Resistance to Fire class	F400 (tested to 400°C, 1	.20mins)				
Motor rating	Class H					
Ancillaries	Inlet/Outlet Guard Outlet Diffuser Silencers Support Feet Counter flanges & Flexible Connector Terminal Box Electrical Isolator Inlet cone					
BSRIA reports 59370/1, 5686	58/2, 57305/3 and 100194/1	refer.				
Applus report 15/6011-789 re	efers.					

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 9 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

4 Pole and relevant double polarity model numbers				
TUBE SMK 804	TUBE SMK 904	TUBE SMK 1004		
TUBE SMK 1124	TUBE SMK 1254	TUBE SMK 1404		
6 Pole and r	elevant double polarity mo	del numbers		
TUBE SMK 806	TUBE SMK 906	TUBE SMK 1006		
TUBE SMK 1126	TUBE SMK 1256	TUBE SMK 1406		
TUBE SMK 1606				
8 Pole and r	elevant double polarity mo	del numbers		
TUBE SMK 808	TUBE SMK 908	TUBE SMK 1008		
TUBE SMK 1128	TUBE SMK 1258	TUBE SMK 1408		
TUBE SMK 1608				
N/A				
F300 (tested to 300°C, 120n	nins)			
Class H				
Electrical Isolator Inlet/Outlet Guard Silencers Terminal Box Counter flanges & flexible co Support feet Inlet cone Outlet Diffuser Shutter OPD *	onnector			
	TUBE SMK 804 TUBE SMK 1124 6 Pole and r TUBE SMK 806 TUBE SMK 1126 TUBE SMK 1606 8 Pole and r TUBE SMK 1608 TUBE SMK 1128 TUBE SMK 1608 N/A F300 (tested to 300°C, 120nd Class H Electrical Isolator Inlet/Outlet Guard Silencers Terminal Box Counter flanges & flexible consupport feet Inlet cone Outlet Diffuser	TUBE SMK 804 TUBE SMK 1124 TUBE SMK 1254 6 Pole and relevant double polarity mo TUBE SMK 806 TUBE SMK 906 TUBE SMK 1126 TUBE SMK 1256 TUBE SMK 1606 8 Pole and relevant double polarity mo TUBE SMK 808 TUBE SMK 908 TUBE SMK 1128 TUBE SMK 1258 TUBE SMK 1608 N/A F300 (tested to 300°C, 120mins) Class H Electrical Isolator Inlet/Outlet Guard Silencers Terminal Box Counter flanges & flexible connector Support feet Inlet cone Outlet Diffuser		

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 10 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators for use in construction works.

TUBE SMK range	4 Pole and relevant double polarity model numbers					
FE-AL Impellers	TUBE SMK 804	TUBE SMK 904	TUBE SMK 1004			
	TUBE SMK 1124	TUBE SMK 1254	TUBE SMK 1404			
	6 Pole and r	elevant double polarity mo	del numbers			
	TUBE SMK 806	TUBE SMK 906	TUBE SMK 1006			
	TUBE SMK 1126	TUBE SMK 1256	TUBE SMK 1406			
	TUBE SMK 1606					
	8 Pole and r	8 Pole and relevant double polarity model numbers				
	TUBE SMK 808	TUBE SMK 908	TUBE SMK 1008			
	TUBE SMK 1128	TUBE SMK 1258	TUBE SMK 1408			
	TUBE SMK 1608					
Response Delay	N/A					
Resistance to Fire class	F400 (tested to 400°C, 120n	nins)				
Motor rating	Class H					
Ancillaries	Electrical Isolator Inlet/Outlet Guard Terminal Box Counter flanges & flexible co Support feet Inlet Cone Silencers Outlet Diffuser Shutter OPD *	nnector				
BSRIA reports 59134/2, 588 Applus report 19-21572-268	809/2, 58809/3 & 60387/2 refer. 86 refer.					

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 11 of 12

No. KM 655127

BS EN 12101-3:2015 - Powered smoke and heat control ventilators

Model(s)	CENT-JET SMK 204/8 S2	CENT-JET SMK 224/8 S2	CENT-JET SMK 254/8 S2	CENT-JET SMK 314/8 S2
Response Delay	N/A			
Resistance to Fire class	F300 (tested to 300)°C, 120mins)		
Motor Rating	Class F / Class H			
Ancillaries	Integral Isolator 49	.42015.000		
BSRIA report 56144	l/3 refers.			

Model	CENT-JET SMK 314/8 S				
Response Delay	N/A				
Resistance to Fire class	F400 (tested to 400°C, 120mins)				
Motor Rating	Class F / Class H				
Ancillaries	N/A				
BSRIA report 56144/2	refers.				

First Issued: 2016-06-02 Effective Date: 2022-02-11 Latest Issue: 2022-02-11 Expiry Date: 2025-01-21

Page: 12 of 12